South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765
(909) 396-2000

July 1, 2011

IMPORTANT NOTICE 2011

TO COMPANIES AND CONTRACTORS THAT HANDLE ASBESTOS CONTAINING MATERIALS, RENOVATE OR DEMOLISH ANY STRUCTURE

SCAQMD Regulation III - Fee amendments for the Fiscal Years 2011-2012 increased notification fees 1.4 percent (%) across-the-board. Notifications of Asbestos Removals and Demolition of structures are subject to the new fees **effective July 1st, 2011.** The fee schedule is in Rule 301 Table VI (see pg 2) or on the Asbestos Notification Forms.

Asbestos Removal Notifications require a fee based on the amount of asbestos removed in square feet. Demolition Notifications require a fee based on the building size in square feet for total building demolitions. For partial demolition of a building the fee is based on the demolition size. Fees are per notification and additional service charge fee(s) may apply.

Initial Notifications postmarked less than 14 calendar days prior to project start date require the Special Handling Fee of **$53.89**. NOTE: This fee is for the expeditious handling of emergency and late notifications and ***is not*** a waiver of the prior 10 working-days notification requirement.

Service charge for any returned check is an additional **$25.00**. See Rule 313(i)

Revisions to the notification increasing the asbestos amount or demolition size but remaining in the same amount/size category stated in previously submitted notification(s) require only a revision fee. Revisions to the notification in amount/size category require a revision fee plus the entire fee for the applicable amount/size category. NOTE: Any schedule change stated in the previously submitted notification(s) requires a revision fee.

Planned Renovation Notifications require a review fee of $604.73 and a notification fee based on the abatement project size in square feet. This includes annual notifications for nonscheduled asbestos removal.

The Procedure 4 and 5 Plans require an evaluation fee and a notification fee based on the abatement project size in square feet. There is also an Expedited Procedure 4 or 5 Fee of $302.36 for all expedited Procedure 4 or 5 plan evaluation requests postmarked less than 14 calendar days prior to the project start date. A Procedure 5 plan is required for any abatement project using an alternative combination of techniques and/or engineering controls to handle the asbestos containing materials or asbestos containing waste. Other projects requiring Procedure 5 Plans include but are not limited to all asbestos site clean-ups, open air abatement, and all demolition with asbestos in place. See the AQMD asbestos web page for a Procedure 5 Plan Guideline.

AQMD recommends mailing your notification to save time, money, reduce traffic, energy use and air pollution. For your convenience please mail all notifications and fees to the following mailing address:

SCAQMD
ASBESTOS NOTIFICATIONS
FILE # 55641
LOS ANGELES, CA 90074-5641

Notifications should be completed, signed, mailed and fee paid by the contractor performing the removal and/or demolition project. Notifications submitted without the appropriate fee are deem incomplete and refer to the Air Toxics Compliance Unit.

Asbestos Notification Forms, Notification Form Instructions, and a copy of the AQMD Rule 1403 can be obtained from the AQMD web site at: http://www.aqmd.gov/comply/asbestos/asbestos.html

To reach the asbestos information page, click on the top drop menu at the AQMD asbestos web page named Business, Compliance Program, Asbestos Demolition and Removal. For any asbestos questions call the Asbestos Hot Line at 909-396-2336.

NOTE: Rule 304(e) requires an owner/operator to pay for analysis of field samples collected by AQMD showing non-compliance.

SCAQMD RULE 301(o) - ASBESTOS FEES

Any person who is required by District Rule 1403 - Asbestos Emissions From Demolition/Renovation Activities to submit a written notice of intention to demolish or renovate shall pay at the time of delivery of notification, the Asbestos and Lead Fee specified in Table VI of this rule. Fees are per notification and multiple fees may apply. No notification shall be considered received pursuant to Rule 1403, unless it is accompanied by the required payment.

TABLE VI - FISCAL YEAR 2011-2012

DEMOLITION, ASBESTOS AND LEAD NOTIFICATION FEES

Demolition and Renovation by Project Size (square feet) [1]					
Up to 1,000	>1000 to 5,000	> 5,000 to 10,000	> 10,000 to 50,000	> 50,000 to 100,000	> 100,000
$53.89	$164.76	$385.65	$604.73	$876.40	$1,460.66

ADDITIONAL SERVICE CHARGE FEE

Revision to Notification	Special Handling Fee [2]	Planned Renovation	Procedure 4 or 5 Plan Evaluation	Expedited Procedure 4 or 5 Fee [3]
$53.89	$53.89	$604.73	$604.73	$302.36

[1] For demolition, the fee is based on the building size.
For refinery or chemical unit demolition, the fee is based on the structure's footprint surface area.
For renovation, the fee is based on the amount of asbestos/lead removed.

[2] For all notifications postmarked less than 14 calendar days prior to project start date.

[3] For all expedited Procedure 4 or 5 plan evaluation requests postmarked less than 14 calendar days prior to the project start date.
For each subsequent notification for pre-approved Procedure 5 plan submitted per Rule 1403(d)(1)(D)(i)(V)(2)

South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765
(909) 396-2000

INSTRUCTIONS FOR THE ASBESTOS - DEMOLITION NOTIFICATION FORM

COMPLETED BY: Type the company business legal name and DBA as shown in the CSLB contractor license, name and phone number of the person completing the notification form, the date, check number, fee amount, and the contractor's project number (if any).

NOTIFICATION TYPE: Circle ORIGINAL for first time notification. Circle REVISION DATES to change the START or END project schedule dates. REVISIONS are for updating information on Notification in which the project END date has not expired. Revision of site location address *requires a new notification*. Circle CANCELLATION to cancel a prior notification.

PROJECT TYPE: Circle a project description. For annual notifications and progress reports circle Planned Reno (annuals).

SITE INFORMATION: Provide detailed information about the facility site location and/or building(s) where the asbestos removal or demolition is to occur, including a cross street. DESCRIBE WORK AND LOCATION by providing the specific work and areas within the facility or building. Examples: *remove VAT from main lobby, demo Monroe Hall, remove mastic from kitchen of Bldg. #2.*

PRESENT and **PRIOR USE**: Circle the PRESENT and PRIOR use of the facility. For condominiums and apartments circle Public Bldg. For rental property circle Commercial. For Renovations circle House only for single family homes that are owner occupied.

SITE OWNER: Name, address and phone # of the site legal owner, or authorized contact person if the site is owned by a company.

REQUIRED BUILDING INFORMATION: Circle a YES or NO answer for each question. ***Asbestos Surveys are required prior to all renovations and demolitions***. See R1403(j) for exemptions. Asbestos must be removed prior to any activity that may disturb it and/or prior to ***ALL*** demolitions.

PROJECT DATES: The actual START and END dates and work shifts of the Asbestos Removal or Demolition project. This includes set-up, clean-up and clearance. Changes of Renovation or Demolition project scheduled dates require a Revision to the notification.

* ***ASBESTOS AMOUNT TO BE REMOVED:*** Enter the amount (in square feet) in the boxes labeled Friable, Class I, and Class II, and add the row to calculate the **TOTAL AMOUNT** removed. Fee varies according to the total asbestos amount to be removed.

To convert linear feet to square feet multiply the factor 3.14 times the pipe diameter times the pipe length, all in feet.

* ***ASBESTOS REMOVED FROM***: Circle SURFACES, PIPES and/or COMPONENTS to indicate from where the asbestos is to be removed.

* ***DESCRIBE TYPE(s) AND AMOUNT(s) OF ASBESTOS***: Enter the amount(s) under each type of material(s) to be removed.

CONTRACTOR INFORMATION: Name and DBA as shown in the CSLB contractor license and company physical address - ***No P O Boxes***. Notifications should be filled and submitted by the contractor performing the actual removal or demolition. Provide your California Contractor State License Board (CSLB), (Cal/OSHA Registration (OSHA REG #), and AQMD identification number (AQMD ID #). CSLB Abatement License and OSHA Registration are required to perform asbestos removal. The AQMD ID # is found in the contractor's District permits or invoices. For your convenience mail your notification and do not hand carry to AQMD because there is no designated staff to receive it. Mailing saves you valuable time, gas money, car wear and tear, and reduces traffic and air pollution.

WASTE TRANSPORTS: Name the companies transporting the asbestos and/or demolition waste to a landfill or any off-site storage.

LANDFILL: Name and address of the landfill where the waste will be sent. This includes demolition construction waste.

* ***WASTE STORAGE SITE.*** Provide the site location if the asbestos is going to a storage site prior to sending it to a landfill.

* ***CONTROLS***: Enter the Rule 1403 Procedure Number (1, 2, 3, 4, or 5) or describe the asbestos work practices and engineering controls. **Procedure 1** is required for removing friable asbestos materials (i.e., acoustic, linoleum, stucco, etc.) **Procedure 2** is for small-scale, short duration jobs using glovebag or minienclosures. **Procedure 3** is for manual removal methods using adequate wetting. **Procedures 4** and **5** require PRIOR written AQMD approval. Refer to Rule 1403 for specific procedural requirements.

* ***ASBESTOS DETECTION PROCEDURES***: Describe the methods and procedures used to determine whether asbestos is present at the facility, including a description of the analytical methods used.

For **DEMOLITIONS** state when and who removed the asbestos. Demolitions require proof of prior asbestos survey and removal, and the Building Size to calculate the notification fee. For partial demolitions provide the size of the area to be demolished in square feet

ORDERED DEMOLITIONS require a copy of the government agency legal notice ordering the demolition. Ordered Demolitions require proof of prior asbestos survey, removal and disposal; and/or ***prior written approval*** from AQMD. See Procedure 5 Plan Guideline.

* ***EMERGENCY REMOVAL***: Give the name and phone number of the person authorizing the emergency. Explain the reason(s).

CONTINGENCY PLAN: List actions to be followed if unexpected asbestos is found or nonfriable asbestos is rendered friable.

TRAINING AND INFORMATION CERTIFICATION: Use a "wet" signature to certify the asbestos contractor workers have the required asbestos training and the information stated in the notification form is complete and accurate. ***Notifications must be signed by the contractor performing the work, or its authorized company representative.***

* DEMOLITION notifications do not require this information. Asterisked information is required for asbestos removal notifications.

KEEP A COPY OF YOUR NOTIFICATION. STATE LAW REQUIRES THAT YOU PROVIDE A COPY OF THE DEMOLITION NOTIFICATION TO BUILDING AND SAFETY BEFORE ISSUANCE OF A DEMOLITION PERMIT.

Notification Form, instructions, and Rule 1403 can be found at http://www.aqmd.gov/comply/asbestos/asbestos.html

ASBESTOS/DEMOLITION RULE 1403 - GENERAL INFORMATION

SURVEY REQUIREMENT: Asbestos surveys are required prior to any renovation or demolition. See R1403(j) for exemptions. Asbestos must be removed prior to renovation activities that may disturb the asbestos containing materials. ***All*** asbestos must be removed prior to building demolition.

NOTIFICATION REQUIREMENTS: Postmark notifications ***14 calendar days prior*** to starting any asbestos removal of 100 ft^2 or greater or ***any*** demolition. Notifications shall be filled, signed, paid, submitted and mailed by the contractor performing the removal and/or demolition job. Notifications without signature(s) require a revision. Renovations without asbestos do not require notification. Los Angeles City, Palm Springs Fire Department, and Cal-OSHA require a separate Notification.

FEE REQUIREMENT: Rule 301(o) require all notifications to be submitted with appropriate fees. *Fees are per notification and are not refundable.* Notifications submitted without appropriate fees may be returned, deemed incomplete, and referred to the compliance unit for follow-up. Projects conducted without a valid notification are subject to local and federal enforcement. Cancellation of notifications and removal projects less than 100 square feet are exempt from fees - other requirements may apply.

MAILING REQUIREMENT: Mail the notification and fee to SCAQMD, ASBESTOS NOTIFICATIONS, FILE # 55641, LOS ANGELES, CA 90074-5641. Mailing saves time, money and reduces traffic and air pollution.

REVISIONS: Fax revisions to 909-396-3342. Update the notifications as necessary, pencil in the change(s); write the reason for the revision at the top of the notification. Fees are per notification and multiple service charge fees may apply. Revisions increasing the asbestos amount or demolition size but remaining in the same amount/size category stated in a previous notification(s) require only a revision fee. Increase in amount/size category requires a revision fee and the entire fee for the higher applicable amount/size category. Notifications expire along with the project schedule end date and they can not be revised after the expired end date.

EMERGENCY NOTIFICATIONS: Fax emergencies to 909-396-3342. Emergencies are for immediate asbestos removals due to unsafe conditions, breakdowns, flood, earthquake, fire, and site contamination; and *require a formal letter from the person confirming or agency authorizing the emergency*. For Ordered Demolitions fax a copy of the legal notice or Building and Safety "red tag". For emergency site de-contamination to clean-up disturbed asbestos fax a Procedure 5 for ***prior*** written approval. See Procedure 4/5 Plans.

FAX NOTIFICATIONS. Fax notifications are required for Revisions, Emergencies, Ordered Demolitions, Electronic Notifications, and Cancellations. Fax notifications to 909-396-3342 and within 48 hours of fax-time; postmark/mail the Original Notification with the fee to SCAQMD, ASBESTOS NOTIFICATIONS, FILE # 55641, LOS ANGELES, CA 90074-5641. Fax notifications do not replace the Original signed notifications required by local and federal law. For Emergencies include the letter authorizing the Emergency. For Ordered Demolitions include proof of asbestos survey, removal and disposal. For Ordered Demolitions without prior asbestos removal submit a Procedure 5 Plan for *prior* written AQMD approval. Cancellations do not require mail follow-up.

DEMOLITIONS require 4 PRIOR steps: **1** Asbestos Survey, **2** Asbestos Removal, **3** AQMD Notification, **4** B&S permit.

ALL demolitions require a notification by the contractor doing the demolition. Demolitions without prior asbestos removal require ***prior written approval*** from AQMD (See Procedure 5 Plan Guideline). Demolition is defined as the wrecking or taking out of a load-supporting structural member of a facility or the intentional burning of a structure. Dismantling of partitions and installation of windows and doors through load-supporting walls without asbestos is exempt from notification. **DEMOLITION BY INTENTIONAL BURNING** require the 4 prior steps listed above plus 2 more steps: **5** Rule 444 "***training burn notification***" to SCAQMD at 800-442-4847 the day prior to burning, and **6** conduct the training burn on a burn day. Fire departments are responsible for obtaining documented proof of asbestos clearance and demolition notification, phoning AQMD the Rule 444 notification the day prior to the training burn, and coordinating with the demolition contractor to clean the site right after the training burn is completed.

RENOVATION is the removal, stripping, or altering of asbestos containing materials, and/or any activity involving the associated disturbance of asbestos in a facility. Renovations require an asbestos survey and removal prior to any activity that would disturb the asbestos. Building remodeling or renovations without asbestos do not require notification. See Survey Requirements

PLANNED RENOVATION NOTIFICATIONS (*PRN*): There are two types of ***PRN*** - *Nonscheduled Asbestos Removals* (aka *Annual Notification*) are projects less than 100 sq ft that require a cumulative annual notification postmarked by each December 17, if the combined amount of asbestos to be removed from a facility exceeds the removal threshold limit (100 sq ft) during a calendar year.

The second PRN type is to notify for a series of *Scheduled Asbestos Removals* projects within a large facility, where each project is greater than 100 sq ft. These notifications require an attachment listing each individual project planned within the facility detailing the work locations/areas/buildings involved including its sizes, floors, ages and uses, the amounts and types of asbestos at each location/area/building, each project scheduled dates, and asbestos types and amounts. Any project schedule change requires a Revision. Any individual removal job (whether it is scheduled or nonscheduled) greater than 100 sq ft requires an individual notification. All Rule 1403 requirements apply regardless of the size of the asbestos removal project.

PROCEDURE 4/5 PLANS: Procedure 4 Plans are for dry removals. Procedure 5 plans are required for asbestos disturbances, site clean-ups, decontaminations, excavations, and demolitions with asbestos. These plans ***require prior*** evaluation and approval by AQMD. To obtain approval fax the survey report, the plan, and the notification to 909-396-3342 attention Asbestos Supervisor. **For after hours** fax and leave a message at 1-800-CUTSMOG for the asbestos supervisor. Within 48 hrs of Plan approval, postmark the hard copies of the plan, notification, and fees.

KEEP A COPY OF YOUR NOTIFICATION. State law requires you give a copy of the demolition notification to Building and Safety before issuance of a demolition permit. This law ***does not*** require proof of receival or approval by AQMD. For your convenience, please mail the notification. Mailing saves you time, money, gasoline, and reduce traffic, energy use, and air pollution.

For questions call the asbestos HOTLINE at 909-396-2336.

Notification Form, instructions, and Rule 1403 can be found at http://www.aqmd.gov/comply/asbestos/asbestos.html

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
NOTIFICATION OF DEMOLITION OR ASBESTOS REMOVAL

AQMD

MAIL FORM AND FEE TO SCAQMD, ASBESTOS NOTIFICATIONS, FILE # 55641, LOS ANGELES CA 90074-5641

AQMD USE ONLY	**SCREEN BY**	**RECEIVED**	**POSTMARK**	**ENTERED BY**	**NOTIFICATION #**
COMPLETED BY	COMPANY	PHONE			
DATE	CHECK #	FEE $	PROJECT #		
NOTIFICATION TYPE	ORIGINAL	REVISION DATES	REVISION OTHER (highlight)	CANCELLATION	
PROJECT TYPE	DEMOLITION	ORDERED DEMOLITION	RENOVATION (removal)	EMERGENCY REMOVAL	PLANNED RENO (annual)
SITE INFORMATION	SITE NAME				
SITE ADDRESS	CROSS STREET				
CITY	STATE	ZIP	COUNTY		
DESCRIBE WORK AND LOCATION					
BUILDING SIZE (SQ FT)	NUMBER OF FLOORS	BUILDING AGE (YEARS)	NUMBER OF DWELLING UNITS		
BLDG PRIOR / PRESENT USE	COMMERCIAL	HOSPITAL	INDUSTRIAL	Other	OFFICE
	PUBLIC BLDG.	HOUSE	SCHOOL	SHIP	UNIV/COLLEGE
SITE OWNER	ADDRESS				
CITY	STATE	ZIP	CONTACT	PHONE	
REQUIRED BUILDING INFORMATION	ASBESTOS PRESENT? YES NO	[1] ASBESTOS SURVEY? YES NO	ASBESTOS REMOVED? YES NO	BUILDING TO BE DEMOLISHED? YES NO	
PROJECT DATES	START	END	WORK SHIFT (day, swing, night)		
***ASBESTOS AMOUNT TO BE REMOVED** (in square feet)	FRIABLE	CLASS I	CLASS II	**TOTAL AMOUNT** (add row)	
***ASBESTOS REMOVAL FROM**	SURFACES	PIPES	COMPONENTS		
***AMOUNT OF EACH TYPE OF ASBESTOS** (in square feet)	ACOUSTIC CEILING	LINOLEUM	INSULATION	FIRE PROOFING	DUCTING
	STUCCO	MASTIC			
FLOOR TILES (VAT)	DRY WALL	PLASTER	TRANSITE	ROOFING	OTHER (describe)
CONTRACTOR INFORMATION	CSLB LICENSE #	OSHA REG #	AQMD ID #		
NAME	ADDRESS				
CITY	STATE	ZIP	SITE SUPVR	PHONE	
WASTE TRANSPORTER #1			**LANDFILL**		
ADDRESS			ADDRESS		
CITY	STATE	ZIP	CITY	STATE	ZIP

* Not required for demolition notifications

[1] asbestos surveys are required prior to Demolition and Renovation.

Forms, instructions, and the Rule 1403 can be obtained from AQMD web site **http://www.aqmd.gov**

SCAQMD NOTIFICATION OF DEMOLITION OR ASBESTOS REMOVAL

MAIL FORM AND FEE TO SCAQMD, ASBESTOS NOTIFICATIONS, FILE # 55641, LOS ANGELES CA 90074-5641

WASTE TRANSPORTER #2			*** WASTE STORAGE SITE**		
ADDRESS			ADDRESS		
CITY	STATE	ZIP	CITY	STATE	ZIP

*** CONTROLS**: DESCRIBE WORK PRACTICES AND CONTROLS TO BE USED AT THE RENOVATION AND DEMOLITION SITE. Procedure # **1, 2, 3, 4, 5** or Other.

For asbestos removals circle the combination of Rule 1403 procedures used. Procedure 4 and 5 submit plans for AQMD prior approval (See procedure 4/5 guidelines)

*** ASBESTOS DETECTION PROCEDURE**: Circle the procedures and analytical methods used to determine the presence of asbestos in the building. Survey, Bulk Sampling, Inspection, PLM, PCM, TEM, Assumed as Asbestos-PACM, Describe Other (See survey guidelines checklist):

FOR **DEMOLITIONS** GIVE THE COMPANY NAME AND DATES OF THE ASBESTOS REMOVAL:

FOR **ORDERED DEMOLITION** SEND A COPY OF THE ORDER AND GIVE THE AGENCY NAME & PHONE #

AUTHORIZING PERSON: TITLE

DATE OF ORDER: DATE ORDERED TO BEGIN:

* FOR **EMERGENCY ASBESTOS REMOVAL** GIVE THE NAME AND PHONE NUMBER OF THE PERSON DECLARING/AUTHORIZING THE EMERGENCY, DATE AND HOUR OF EMERGENCY AND DESCRIBE THE SUDDEN, UNEXPECTED EVENT (***Disturbed /damaged asbestos requires a procedure 5 plan approval prior to clean-up):***

EXPLAIN HOW THE EVENT WOULD CAUSE UNSAFE CONDITIONS, EQUIPMENT DAMAGE OR UNREASONABLE FINANCIAL BURDEN:

CONTINGENCY PLAN: DESCRIBE ACTIONS TO BE FOLLOWED IF UNEXPECTED ASBESTOS IS FOUND DURING DEMOLITION OR ASBESTOS MATERIAL BECOME DISTURBED, CRUMBLED, PULVERIZED, OR REDUCED TO POWDER. (***Disturbed /damaged asbestos requires a procedure 5 plan approval prior to clean-up):***

*** TRAINING CERTIFICATION:** I certify that an individual trained in the provisions of regulation AQMD Rule 1403 and NESHAP will be on site during the removal and evidence that the required training has been accomplished by this person will be available for inspection during normal business hours.

Company Name | Print name of owner/operator | Signature of owner/operator | Tittle of owner/operator | Date

INFORMATION CERTIFICATION: I certify that the above information is correct and I have enclosed any required attachments.

Company Name | Print name of owner/operator | Signature of owner/operator | Tittle of owner/operator | Date

Notifications can not be accepted without the required fee (Rule 301). Asbestos removals of less than 100 square feet are exempt from notification and fees. Please make checks payable to "SCAQMD". Fees are per notification, not refundable, and vary according to the project size. Fees are as follows:

PROJECT SIZE in square feet	DEMOLITION OR REMOVAL
1,000 or less	$ 43.02
1,001 to 5,000	$ 131.53
5,001 to 10,000	$ 307.86
10,001 to 50,000	$ 482.74
50,001 to 100,000	$ 699.60
100,001 or more	$ 1,166.00

ADDITIONAL SERVICE CHARGES
Special Handling Fee ---- $ 43.02
Revision to Notification- - $ 43.02
Returned Check Fee --- - $ 31.97
Planned Renovation ---- - $ 482.74
Procedure 4 or 5 Plan-----$ 482.74

ATTENTION*:* **Keep a copy of your notification.** State law requires that you provide a copy of the demolition notification to Building and Safety before issuance of a demolition permit. For questions call 909-396-2336. Please mail the form and fee to AQMD. Mailing saves time, money and reduces traffic and air pollution

NEW REGULATION ON LEAD:

Renovation, Repair and Painting (RRP)

— Effective April 22, 2010 —

YOU NEED:

- To be trained and certified as a renovator
- To use lead-safe work practices
- To keep required records
- To make required disclosures
- To know that there is a potential $37,500 penalty per violation

Why is it important?

LEAD DUST HURTS KIDS!

Repair or remodeling projects which disturb lead paint can produce enough lead dust to evenly cover this card. That amount will poison a 1,500 sq. ft. house or apartment, and will fail inspection.

For information: http://epa.gov/lead/pubs/rrpfactsheet2008.htm

Or call: United States Environmental Protection Agency (EPA)
(415) 947-4164

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION IX
75 Hawthorne Street
San Francisco, CA 94105-3901

December 2010

Attn: Building Permit Office Director

EPA's Lead-Based Paint Renovation, Repair, and Painting Rule: the new rule requires that contractors and maintenance professionals working in pre-1978 housing, child care facilities, and schools with lead-based paint be certified; that their employees be trained and that they follow protective work practice standards. The rule applies to renovation, repair, or painting activities affecting more than six square feet of lead-based paint in a room or more than 20 square feet of lead-based paint on the exterior. Enforcement of the rule began October 1, 2010. See the EPA website at www.epa.gov/lead for more information.

We would appreciate you making the enclosed information sheets available to persons applying for a building permit and displaying the color poster. If you have questions or need more information sheets, contact Marjorie Xavier at (415) 947-4164.